



PLAN

*4' X 4' WELL FOR 8' SIDEWALK
 5' X 5' WELL FOR 10' SIDEWALK



NOTES:

1. TREE WELLS SPACED AT 50' (MAX) O.C. OR AS INDICATED (LOCATION TO BE APPROVED BY PARKS DIRECTOR)
2. MIN. TRUNK CALIPER 3/4" MIDWAY UP TREE.
3. MIN. TREE HEIGHT 6', TOP OF CAN TO TOP OF TREE.
4. MIX BACKFILL MIXTURE WITH 1 CU. FOOT PEAT MOSS OR REDWOOD, PLUS 1/2 CUP EACH OF BONE MEAL, HOOF & HORN.
5. EXCAVATION TO BE INSPECTED BEFORE PLANTING.
6. PLANTER SHALL WATER TREE AT TIME OF PLANTING.
7. THE DEVELOPER OR CONTRACTOR SHALL NOTIFY THE PARKS DEPARTMENT 48 HOURS PRIOR TO PLANTING OF TREES.
8. CONTRACTOR TO WATER TREES UNTIL FINAL ACCEPTANCE.
9. TREE CONTAINERS TO BE 5 GAL. OR LARGER.
10. INSTALL ONE (1) BUBBLER IN TREE WELL.



SECTION A-A

MAJOR STREET & COMMERCIAL AREA

REVISIONS	DATE



CITY OF TULARE PUBLIC IMPROVEMENT STANDARD	
STREET TREE WELL	DRAWING NO.:
Approved By: _____ Date: 1/1/16	8010 City Engineer
1 OF 1	